[11957/47201]

JUN 2 6 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s)

•

Shrirang NETKE, et al.

Serial No.

10/657,019

Filed

0 - . 4 . . . 1. .

For

September 5, 2003

Frank I. CHOI

COMPOSITION AND METHOD FOR BONE HEALING

Examiner

:

Art Unit

1616

Mail Stop Amendment

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. box 1450, Alexandria, VA 22313-1450 on

Date: June 20, 2006

Signature:

TRANSMITTAL

SIR:

Transmitted herewith for filing in the above-identified application is a Response to Office Action Under 37 C.F.R. § 1.111, including (2) pages of Replacement Sheets.

No fee is believed to be required. However, if any fee is required, please use Deposit Account No. 11-0600. A duplicate copy of this transmittal letter is enclosed for that purpose.

Respectfully submitted, KENYON & KENYON LLP

Dated: June 20, 2006

Jøhn F. Resel

Reg. No. 52,162

One Broadway

New York, New York 10004

Tel: (212) 425-7200 Fax: (212) 425-5288

CUSTOMER NO. 26646



Attorney Docket No. 11957/47201 (formerly 11957/59)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

Shrirang NETKE, et al.

Serial No.

10/657,019

Filed

For

September 5, 2003

Examiner

COMPOSITION AND METHOD FOR BONE HEALING

A . TT *.

Frank I. Choi

Art Unit

1616

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313 I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:
Mail Stop After Final, Commissioner for Patents, P.O. box 1450, Alexandria, VA 22313-1450 on

Date: June 20, 2006

Signature:

RESPONSE TO OFFICE ACTION UNDER 37 C.F.R. § 1.111

Dear SIR:

This paper is presented in response to the Office Action of March 20, 2006. Please consider the following amendments and arguments in support of the application.

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Amendments to the Drawings begin on page 8 of this paper and include attached Replacement Sheets.

Remarks/Arguments begin on page 9 of this paper.